*SC 5180-8-A14

DEPARTMENT OF THE ARMY SUPPLY CATALOG

SETS, KITS, AND OUTFITS
COMPONENTS LIST/HAND RECEIPT

TOOL KIT MEDICAL EQUIPMENT MAINTENANCE AND REPAIR: REPAIRMANS

NSN 5180-00-611-7923

LIN: W45334

*THIS PUBLICATION SUPERSEDES SC 5180-8-A14 DATED 31 OCTOBER 1988, INCLUDING ALL CHANGES

HEADQUARTERS, DEPARTMENT OF THE ARMY
30 NOVEMBER 1993

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.



1. GENERAL.

a. This catalog provides an alphabetical listing for the Tool Kit Medical Equipment Maintenance and Repairman's.*

b. The component listing/hand receipt is identified by a four-segment symbol:

(1) The first segment (SC) indicates Supply Catalog.

(2) The second segment (5180) identifies the Federal Supply Classifi-cation (FSC).

(3) The third segment (8) identifies the compiler.

(4) The fourth segment (A14) distinguishes the SKO from others in the same FSC.

c. The title \underline{SKO} is authorized by The Army Authorization Documents Systems (TAADS).

d. The term SKO in the SC introduction will be replaced by the specific title for each SC (i.e., MES, DES, MMS, etc.).

*This publication supersedes SC 5180-8-A14 dated 31 October 1988.

e. This Catalog is not an authorization for requisitioning NSN 5180-00-611-7923. Components listed may be requisitioned in quantities indicated when the set is authorized by Modification Table of Organization and Equipment (MTOE) or other Department of the Army (DA) authorization document(s).

2. PURPOSE.

This SC prescribes initial allowances and quantities of common tools and equipment to be utilized by the medical equipment repairman. This individual tool kit enables the medical equipment repairman to perform maintenance on medical equipment. This constitutes the minimum basic load to sustain this SC.

3. RESPONSIBILITIES.

a. This catalog is prepared and maintained by the United States Army Medical Materiel Agency (USAMMA) in coordination with the AMEDD Center & School (AMEDD C&S), and Army Materiel Command (AMC).

b. The replacement of items can be requisitioned from the source of supply indicated in the Army Master Data File (AMDF) utilizing the normal supply channels.

EXPLANATION AND USE OF COLUMNS.

The following information is a brief description of the contents and layout of data provided to user(s) of this Supply Catalog:

a. ACT (Action Code). A one-position alphabetic code that records the action taken in a component list/hand receipt. They are defined as:

C (CHANGE)

Indicates a change to the AMDF unit of issue, set measurement quantity/unit of issue, ARC, or Remarks Code since the previous publication.

D (DELETION)

Indicates the NSN has been deleted and not replaced.

N (NEW)


Indicates the NSN was not previously included in the basic publication or changes.

R (REPLACEMENT)

Indicates the NSN has been replaced or changed.

b. ILLUSTRATION/NATIONAL STOCK NUMBER (NSN). Not all the NSNs in this SC are represented by an illustration. The items that have an illustration show an illustration number in the "ILL NO" column of the CL/HR. For easy reference, the illustration number is also listed under each illustration.

- (1) The illustrations may not be exact representations of the items in the assemblage since the products of the various manufacturers may vary in appearance. The statement "ITEM NOT ILLUSTRATED" indicates that an illustration should not appear.
- (2) A cross-reference list of NSN-to-Illustration Number is provided as Section V. This list is in NSN sequence and will further assist in identifying NSNs that have an illustration.
- c. ITEM DESCRIPTION. The item descriptions are listed in alphabetical sequence by item name with additional descriptive information required for identification.
- (1) The first description shown is that of the MES. Subsequent descriptions are for the components by item names in alphabetical and ascending size sequence within each Accounting Requirements Code (ARC) group (i.e., N, D, and X).
- (2) In addition to individual items, a major Unit Assemblage (UA), referred to as the "parent" UA, may contain a SUB UA, referred to as "Level 1" UA. These Level 1 UAs consist of individual items and possibly other SUB UAs referred to as a "Level 2" UA. The following procedures have been implemented to identify the components of the Level 1 and Level 2 UAs within the parent UA. All Level 1 and 2 UA components will be displayed in the ARC sequence.



(4) Each level 2 UA and its components will be identified with an alpha code next to the NSN. The first Level 2 UA will be assigned the letter "A". The second level 2 UA, if any, will be assigned the letter "B", etc. The remaining Level 1 components will continue after the last component of the Level 2 UA.

(5) In some instances a parent UA will have another major UA as its component. The components of the UA will be displayed in the same ARC sequences and its component NSNs will not contain dashes.

(6) The remaining parent level UA components will follow the last component of a Level 1 or Level 2 UA. This parent UA component can readily be identified by dashes in the NSN.

(7) Manufacturer's code, part number, and/or the applicable specification references follow the description, when applicable.

d. RMKS (REMARKS). There will not be any REMARKS notes for this Supply Catalog.

e. ARC (ACCOUNTING REQUIREMENTS CODE). This is a one-position alphabetic code that identifies the way an item is accounted for by the Army. One of the following codes must be entered here.

N-NONEXPENDABLE -

This code identifies items which are not used up and keep their identity throughout their life and must be accounted for in the property book.

D-DURABLE -

This code identifies items which are not used up. These items keep their identity throughout their life; Items identified by this code are accounted for by hand receipt or other similar document.

X-EXPENDABLE -

This code identifies items which will be used up. These items do not need to be entered on hand receipts; however, preprinted hand receipts list expendable items for information purposes only.

f. CIIC (CONTROLLED ITEM INVENTORY CODE). This is a one-position alphabetic/numeric code which indicates the security classification, security risk, or pilferage controls required for storage and transportation of DOD assets, DA PAM 710-2-1 identifies those items that must be inventoried monthly. The CIIC code applicable to components of this SC, unless otherwise indicated in the CIIC column, is U (UNCLASSIFIED).

g. UI (UNIT OF ISSUE). This is a two-position code which shows the	Abbreviation	Explanation
smallest quantity that an item can be requisitioned and issued.	AR	Arm
•	COMBO	Combination
h. PEC (PRIMARY ESSENTIAL CODE). The revised editions of AR 40-61 and AR 200-1 will eliminate the requirements for	DIA	Diameter
PECs for Equipment On Hand (EOH) computation	E	End
procedures. References to PECs in the future UA Listings (UAL) and Supply Catalogs (Scs)	ELEC	Electric
will not be shown.	FT	Foot, Feet
i. QTY AUTH (QUANTITY AUTHORIZED).	HEX	Hexagon
This is the quantity authorized to be on-hand	HEXA	Hexagon
for each end item or component of an end item.	HND	Hand
	IN	Inch
j. QUANTITY ON HAND (A Thru F).	_	_
These columns are for the actual quantity	L	Long
on-hand for each component listed.	LB	Pound
	LEN	Length
	LG	Long
	LGHT	Length
5. ABBREVIATIONS:	34257	Maximum
Observation and links of in	MAX	
Standard abbreviations are listed in	MIN	Minimum
AR 310-50 (Authorized Abbreviations and Brevity Codes) and the <u>DoD Medical Catalog</u>	M/M	Millimeter
Introduction (Authorized Abbreviations	NO	Number
Referenced to Terms). Some words will be	NOM	Nominal
truncated (with vowels removed that do not meet the above references) in order to fit a	NONCO	Noncorrosive
limited-space nomenclature field. Army	OD	Outside Diameter
acronyms used in this SC are defined in AR	OVL	Overall
40-61, Glossary, Section I Abbreviations. Nonstandard abbreviations listed are used in this publication:	OZ	Ounce





Abbreviation	Explanation
PNT	Pint
POIN	Point
SCR SGL SM SUR SZ	Screw Single Small Surface Size
THR	Thread
THREA	Thread
UNC	Unified National Course
UNF	Unified National File
W/	With
W	Wide
W/A	With Angle

SPECIAL INFORMATION.

a. Associated Support Items of Equipment (ASIOE).

NOTE: THERE ARE NO ASIOE ITEMS IN THIS SC.

b. To support Army Medical Department Activities, USAMMA also provides floppy disks for UA component listings in lieu of hard-copy versions. For each UA requested, the disk will consist of UA information in raw data format and a report file which is in the same two-section format as the current hard-copy component listing. A

brief instruction guide on "How to Access and Print the Information" is included on the disk. Additionally, a separate enclosure with the data record layout of the raw data will be included to allow the user to merge the data with the user's existing software, i.e. DBase, Lotus, or Paradox.

- (2) USAMMA will not send a hard-copy version of the component listing to those activities that have the floppy-disk system. Only one method of receiving listings is allowed. The disk will be furnished just once during the current year. Only the addition of a new set by MTOE update will permit the release of additional disks per Unit Identifier Codes (UIC). Commands responsible for more than one unit should indicate this and furnish the various UICs and Uas under their command on their request. It is recommended that this original USAMMA disk be copied to your hard drive and the USAMMA disk be retained as the official record.
- (3) Once an activity receives their initial UAs on disk(s), their address will be retained for an automatic distribution of the next succeeding year's annual update via disk. Activities that have automated capabilities and choose the disk method, should send their complete address and UIC along with all UAs authorized under that UIC to:

Commander
U.S. Army Medical Materiel Agency
ATTN: SGMMA-OCU
Fort Detrick
Frederick, MD 21702-5001

(4) Component authorizations are published in medical materiel set computer listings/floppy disks available from USAMMA and in the appropriate supply catalogs (SC 6545-8 Series). Revisions to components will be published annually by floppy disks in lieu of the DA SB 8-75 Series and are reflected in current year computer listings/floppy disks.

(5) Publication of component authorization changes by the floppy-disk system method, instead of the SB 8-75 Series, (and/or a current year medical materiel set computer listing/floppy disk) constitutes authority for updating assemblages in respective units and serves as the authorization document of assemblage component.

(6) Commanders should annually request a current year medical unit assemblage listing/floppy disk by submitting written requests to:

Commander
U.S. Army Medical Materiel Agency
ATTN: SGMMA-OCU
Fort Detrick
Frederick, MD 21702-5001
Telephones DSN 343-4318
COMM 301-619-4318

The request should identify the unit assemblage (UA) number, Nomenclature, Line Item Number (LIN), or NSN for each medical materiel set required.

(7) Commanders who do not have automated capabilities and need the hard-copy

listing should continue to request a currentyear medical materiel UA listing by submitting written requests to the afore-mentioned address. The request should identify the UA Number, Nomenclature, Line Item Number (LIN), or NSN for each medical equipment set required.

h. AMDF INCOMPATIBILITIES. If incompatibilities are discovered between this publication and the AMDF (Army Master Data File), the latter will govern.

i. SECTION VI - NSNS DELETED FROM PREVIOUS PUBLICATIONS AND APPLICABLE REPLACEMENTS.


(1) This Section appears in all editions subsequent to the previous edition of the Supply Catalog.

(2) It includes all deletions and replacements made to Section II since the previous edition.

ACCOUNTABILITY.

a. Page II-2, Section II (FROM:) identifies the element from which the property is issued. Enter the name of the organization, unit, section, or squad which issues the property.

b. The block (TO:) identifies the element to which the property is issued. Enter the name and rank of the person receiving the property. TOE/MTOE paragraph, line number, and job title may be added as optional information.



d. END ITEM STOCK NUMBER: Enter the NSN of the MES.

e. END ITEM DESCRIPTION: Enter a short description of the MES.

f. PUBLICATION NUMBER: SC Number.

q. PUBLICATION DATE. SC Effective Date.

h. QUANTITY ON HAND: These columns are for the actual quantity on hand for each component listed.

(1) Enter the quantity on hand for each component listed. Line out all unused blocks in columns with recorded quantities.

(2) Advance all quantities to the next column when quantities change. Quantities must be advanced when changing hand-receipt holders.

(3) The person receiving the property will sign, enter his/her rank, and date the proper quantity column on the last page (ink entry). The last page is the last-numbered page and may be an odd or even number. The last page may be reserved for signature only. (The original page will have an original signature; the copy may have a carbon signature.)

8. TRANSPORTATION INFORMATION.

a. Supplies will be packed in containers suitable for operations under field conditions.

b. Packages or containers will ordinarily be of such size and weight as to permit handling by two men.

c. When practicable, crating will be such as to permit equipment to be readily accessible by removing the front, side, or top of the container.

d. To reduce the overall bulk when this assemblage is packed by the Depot, empty chests which appear as components on the equipment list will be utilized wherever possible as shipping containers.

e. The following information is applicable to this MES.

Total Weight and Volume of this MES:

Weight: <u>112.60</u> Volume: <u>6.023</u>

POWER REQUIREMENTS.

An external power source is required to support this MES. The following NSNs operate on 115V, single-phase power with wattage requirements as shown:

<u>nsn</u>	ITEM	WATTS	VOLTS			ORTIN	G ERRORS	AND	RECOMM	ENDING
3439-00-542-0454, \$	Soldering									
Iron, 115V, AC		50	115	You	can	help .	improve	this	supply	catalog

You can help improve this supply catalog. If you find any mistakes or know a way to improve the information, please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publication and Blank Forms) direct to:

Commander
US Army Medical Materiel Agency
ATTN: SGMMA-OCU
Frederick, MD 21702-5001

SECTION II: ILLUSTRATED COMPONENT LIST/HAND RECEIPT

5180-00-611-7923 NOT ILLUSTRATED

ILL. NO. 00001

5110-00-528-9000 NOT ILLUSTRATED

5110-00-884-0140 NOT ILLUSTRATED

5110-00-239-7625 NOT ILLUSTRATED

5110-00-239-7716 NOT ILLUSTRATED 5110-00-233-7749 NOT ILLUSTRATED SECTION II. ILLUSTRATED COMPONENT LIST/HAND RECEIPT FOR USE OF THIS HAND RECEIPT SEE SECTION I.

FROM:

TO:

HAND RECEIPT NO:


	END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICAT.	ION NU	ABER			PUBLICATION DAT	E	Q	UANTIT	٧	
	5180-00-611-7923	TOOL KT MED EQ REPRMN	SC 5180-	8-A14				30 NOV 93					
 ст	ILL STOCK NUMBER NO.	ITEM DESCRIPTION			ARC	CIIC	UI	TUA YTQ	A			N HAND	
		TOOL KIT MEDICAL EQUIPMENT MAINTENANCE AND REPAIR: REPAIRMANS 8001	w45334		N		KT	1.00		}			
	5110-00-595-8316 00001				D	М	SE	1.00	 				
	5110005289000	FILE HAND B10 HALF ROUND S 6" FACE DOUBLE CUT NO 2 CU 58536 A-A-2429			D	M	EA	1.00			 		-
	5110008840140		NO 6		D	M	EA	1.00		1	 		} }
-	5110002397625	FILE HND PILLAR TYPE 11 CL CUT NO 2 LENGTH 58536 A-A-2434			D		EA	1.00			 		
-	5110002397716	FILE HND RASP TYPE 15 CUT 6 IN LONG 58536 A-A-2439	NO 15				EA	1.00		.	 		
-	5110002337749	FILE HND RASP TYPE 7 CUT N 6IN LONG 58536 A-A-2430	40 4		D	M	EA	1.00			 		



ILL. NO. 00002



ILL. NO. 00003




5110-00-239-7739 NOT LLUSTRATED


ILL. NO. 00005



ILL. NO. 00004




ILL. NO. 00006



ILL. NO. 00007


	END ITEM STOCK NUM	BER	END ITEM DESCRIPTION	PUBLIC	CATION NU	MBER			PUBLICATION DATE	-	Q	UANTII	Y		
	5180-00-611-7923		TOOL KT MED EQ REPRMN	SC 518	30-8-A14				30 NOV 93						
 СТ	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION		RMKS	ARC	CIIC	uI	QTY AUT	Α			HAN) 	 E
			FILE HAND RASP 6IN TYPE CLASS 2 CUT NO 0					EA	1.00						
	5120-00-061-8540		58536 A-A-2437 HAMMER HAND E16 MACHINIST: PEEN 40Z HEAD FIBERGLASS H	BALL					1.00		 	 	<u> </u> 	 	
 N	5120-00-116-7841		58536 A-A-1305 KEY SET SOCKET HEAD SCREW			D	 М	SE	1.00		 !	 	 	 	
			SCREWDRIVER CONTAINS 12 HI	EX											
	5110-00-240-5943		KNIFE POCKET 2 BLADES 2.3 BLADE LENGTH SCREWDRIVER& 81348 GGG-K-484			D	М	EA	1.00		 		 		
	5120-00-165-4098		NUTDRIVER SCREWDRIVER SE XCELITE #99PS 50 75347 99PS-50	r		D	М	SE	1.00						
	5110-00-239-8253	00006	PLIERS DIAGONAL CUTTING 6 OVERALL LENGTH								<u>-</u>	<u></u>	. <u>-</u>	- -	
			64959 108286								<u> </u>	<u> </u>	i 	_ <u> </u> 	
_	5110-00-618-2700	00007	PLIERS DIGONAL CUTTING 4 INCH	1/2		D	М	ĖΑ	1.00						
			80204 8107.11								İ	i	İ	j	





5120-00-293-3486 NOT ILLUSTRATED

5120-00-239-8250 NOT ILLUSTRATED



ILL. NO. 00010

5120-00-965-0626 NOT ILLUSTRATED



ILL. NO. 00011

II-006





	END ITEM STOCK NUMB	BER	END ITEM DESCRIPTION	PUBL	ICATION NU	MBER			PUBLICATION DATE			QUANTI	TY	
	5180-00-611-7923		TOOL KT MED EQ REPRMN	SC 5	180-8-A14				30 NOV 93					
ст	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION		RMKS	ARC	CIIC	uI	QTV AUT	Α		NTITY (DNAH NC	 E
	5120-00-184-9403	00008	PLIERS NEEDLE NOSE A6 STR ROUND STYLE 6.5" LENGTH	AIGHT		D	M	EA	1.00					
			80204 B107.13M TY3CL4ST									1		
	5120-00-278-0352	00009	PLIERS SLIP JOINT 10 INCH ANGLE NOSE MULTI TONGUE &	A79								 		
			81348 GGG-P-471						1					
	5120-00-293-3486		PLIERS 4" OVERALL LENGTH SHORT ROUND NOSE	A4A		D	М	EA	1.00					
			80204 B107.13M TY3CL3ST						<u> </u>					į
N	5120-00-239-8250		PLIERS 6" A8 CURVED RO NE NOSE TYPE 3 CLASS 2 SIZE			D	M	EΑ	1.00					
			80204 B107.13M TY3CL2SZ						i			}	ł	
	5110-00-255-0420	00010	SCISSORS ELECTRICIANS			D	м	ÉA	1.00				 	
			64959 46X16											
N	5120-00-965-0626		SCREWDRIVER CROSS TIP 3" PHILLIPS SZ 1 CUSHION GRI	BLADE				EA	1.00		}			 []
			80204 B107.15 TY2DEASZ1						i				}]
	5120-00-288-8739	00011	SCREWORIVER SET JEWELER'S			D	М	SE	1.00 }	~~		 		 !
	•		8704 GGG-S-1808						-			ļ		

5120-00-180-0727 NOT ILLUSTRATED

5120-00-180-0706 NOT ILLUSTRATED 5120-00-180-0728 NOT ILLUSTRATED

5120-00-180-0730 NOT ILLUSTRATED

5120-00-180-0729 NOT ILLUSTRATED

. . .

5120-00-180-0705 NOT ILLUSTRATED 5120-01-047-4357 NOT ILLUSTRATED


II-008





END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION N	UMBER			PUBLICATION DATE		Q	UANTIT	Y	
5180-00-611-7923	TOOL KT MED EQ REPRMN	SC 5180-8-A14	•			30 NOV 93					
ILL	ITEM DESCRIPTION	RMKS	ARC	CIIC				QUAN		N HAND	 E
5120001800727	SCREWDRIVER JEWELER .055 IN	n			EA	1.00				 	
	66796 5240-1102					{			}		
5120001800706	SCREWDRIVER JEWELER'S TYPE 0.040" HDL 2.75"L MIN AS MC		×	М	EA	1.00					}
	81348 GGG-S-1808							i			ì
5120001800728	SCREWDRIVER JEWELER'S TYPE 0.070	BLADE	×	M	EA	1.00				 	
	96906 MS15230-4										
5120001800730	SCREWDRIVER JEWELER'S TYPE 0.100	BLADE	×	M	EΑ	1.00					
	57163 555E .							1			
5120001800729	SCREWDRIVER JEWELER'S TYPE BLADE.080"WIDE 2.75"L MIN F MOD 81348 GGG-S-1808		X	М	EA	1.00	<u></u>			\	
5120001800705	SCREWDRIVER JEWELERS TYPE E	BLADE	×	М	EA	1.00					
	81348 GGG-S-1808										
5120-01-047-4357	SOCKET SET 12PIECE 10SOCKET WRENCHES 4MM 11MM W/EXTENSION&HANDLE 96508 99PS-51MM	т	D	М	SE	1.00				\ 	








ILL. NO. 00013



ILL. NO. 00014



5120-00-277-8309 NOT ILLUSTRATED 5120-00-277-8313 NOT ILLUSTRATED 5120-00-277-3414 NOT ILLUSTRATED

	END ITEM STOCK NUM	BER	END ITEM DESCRIPTION	PUBLICA	TION NU	MBER			PUBLICATION DATE	(TITMAU	Ϋ́	
			TOOL KT MED EQ REPRMN						30 NOV 93				
т Т	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION		RMKS	ARC			QTY AUT	QUAN		N HAND	
			TOOL BOX PORTABLE				M	EΑ	1.00]			
			52346 2B517						i	 j	i	<u> </u>	i
	5120-00-240-5330	00013	WRENCH OPEN END ADJUSTABLE 4 INCH	1/2 X	,	D	М	£Α	1.00				
			80204 B107.8		_					 i	<u> </u>	i	<u> </u>
	5120-00-240-5328	00014	WRENCH OPEN END ADJUSTABLE 15/16X8 INCH				М	EΑ	1.00				
			80204 B107.8							 	i	i	
	5120-00-962-7580	00015	WRENCH SET OPEN END			D	M	SE	1.00	 		[
			8710 58536 A-A-1355						1		i	1	
•	5120002778309		WRENCH OPEN END WRENCH OPE 1/4 X 7/32 15 & 60 DEG AND	NINGS			M	EA	1.00	 			
			58536 58536 A-A-1355						İ		ļ		ļ
	5120002778313		WRENCH OPEN END WRENCH OPE 11/32 X 3/8 15 AND 60 DEG	NINGS			М	EΑ	1.00				
			58536 A-A-1355						İ				
	5120002773414		WRENCH OPEN END WRENCH OPE 13/64 X 15/64 15 & 60 DEG	NINGS				EΑ	1.00	 			
			58536 A-A~1355								i		

5120-00-277-8310 NOT ILLUSTRATED

5120-00-277-8314 NOT ILLUSTRATED 5120-00-277-8312 NOT ILLUSTRATED

5120-00-277-8308 NOT ILLUSTRATED



5120-00-277-8311 NOT ILLUSTRATED 5140-00-357-5468 NOT ILLUSTRATED







	END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICA	TION NU	MBER			PUBLICATION DATE		(UANTI	Υ	
	5180-00-611-7923	TOOL KT MED EQ REPRMN	SC 5180	-8-A14				30 NOV 93					
. — . СТ	II STOCK NUMBER NO	L L). ITEM DESCRIPTION		RMKS	ARC	CIIC	UI	QTY AUT	Α			HAND D	 E
	5120002778310	WRENCH OPEN END WRENCH OP 15/64 X 13/64 15 & 60 DEG	ENINGS			M	EA	1.00					} !
	5120002778314	58536 A-A-1355 WRENCH OPEN END WRENCH OP 3/8 X 11/32 15 AND 60 DEG					 EA	1.00		 	 	 	
	5120002778312	58536 A-A-1355 WRENCH OPEN END WRENCH OP 5/16 X 9/32 15 & 60 DEG A			x	 М	 EA	1.00		 	 		i !
<u>.</u>	5120002778308	58536 A-A-1355 WRENCH OPEN END WRENCH OP	ENINGS				 EA	1.00		 	 	i 	
_		7/32 X 1/4 15 & 60 DEG AN 58536 A-A-1355	GLES					} !				 	
	5120002778311	WRENCH OPEN END WRENCH OP 9/32 X 5/16 15 DEG ANGLES 93389 3220	ENINGS		Х	М	EA	1.00		 			
-	5120-00-081-2305 000	D16 WRENCH SET SOCKET 13 PIEC CHRME PLATED METAL OR PLA	E 1/4"			М	SE	1.00		 	. <u>-</u> 		
		8702 GGG-W-641		~~~~						<u> </u>	<u> </u>	i 	
-	5140003575468	CASE SOCKET WRENCH SET ST COMPARTMENTS 7 1/8 X 2 5/ 5/8" 80244 5140-00-357-5468	L 2			М	EΑ	1.00			1	 	

5120-00-221-7957 NOT ILLUSTRATED

5120-00-243-1686 NOT ILLUSTRATED 5120-00-227-8105 NOT ILLUSTRATED

5120-00-242-3256 NOT ILLUSTRATED

5120-00-242-3345 NOT ILLUSTRATED

5120-00-242-3351 NOT ILLUSTRATED 5120-00-189-8610 NOT ILLUSTRATED

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NU	MBER			PUBLICATION DATE		Q	UANTIT	Υ	
5180-00-611-7923	TOOL KT MED EQ REPRMN	SC 5180-8-A14				30 NOV 93					
IL. T STOCK NUMBER NO	L L ITEM DESCRIPTION		ARC	CIIC	 UI	 QTY AUT	 А	QUAN B		N HAND	
5120002217957	HANDLE SOCKET WRENCH REVE RATCHET 1/4", 4 1/4"	RSIBLE	D	M	EA	1.00			 		
5120002431686	58536 A-A-2165 UNIVERSAL JOINT SOCKET WR CHROME PLATED 1/4"							! 	 	 	
5120002278105	58536 A-A-2169 EXTENSION SOCKET WRENCH S CHROMIUM SURFACE 2 TO 3.5			М	 EA	1.00		i 	 		
	10001 2993752-2							<u> </u> 	 	i 	
5120002423256	HANDLE SOCKET WRENCH SPIN SCREWDRIVER GRIP 1/4", 6" 58536 A-A-2167		X	M	EA	1.00			 	} 	
5120002423345	SOCKET SOCKET WRENCH STEE .875" OVERALL LENGTH 58536 A-A-1409	L 9/32"	X	М	EA	1.00			 		
5120002423351	SOCKET WRENCH SIZE STL OV 1.010"L OUTSIDE DIA .519"	ERALL			EA	1.00					
5120001898610	58536 A-A-1407 SOCKET WRENCH SIZE 1/2 SO SHAPE 12 POINT	CKET	x	м	 EA	1.00			<u> </u> 	<u></u>	
•	8Z799 M-1216							1			•

5120-00-236-2264 NOT ILLUSTRATED


5120-00-236-2262 NOT ILLUSTRATED 5120-00-242-3352 NOT ILLUSTRATED


5120-00-235-5878 NOT ILLUSTRATED

5120-00-235-5869 NOT ILLUSTRATED

5120-00-236-2263 NOT ILLUSTRATED 5120-00-288-7786 NOT ILLUSTRATED


END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NU	MBER			PUBLICATION DATE		(TTMAUÇ	ΓΥ	
	TOOL KT MED EQ REPRMN					30 NOV 93					
IL	L . ITEM DESCRIPTION		ARC	CIIC			Α			DN HAND	
5120002362264	SOCKET WRENCH SIZE 1/4 S SHAPE HEX	OCKET	Х	M	EA	1.00					1
	58536 A-A-1409							ì			
5120002362262	SOCKET WRENCH SIZE 3/16 SHAPE HEX										
	58536 A-A-1409										l
5120002423352	SOCKET WRENCH SIZE 3/8 SHAPE 12 POINT					1.00					
	8Z799 M-1212					{			1		ŀ
5120002355878	SOCKET WRENCH SIZE 5/16 SHAPE 12 POINT			M	EA	1.00					
	8Z799 M-1210							l			1
5120002355869	SOCKET WRENCH SIZE 7/16 : SHAPE 12 POINT	SOCKET		M	EA	1.00					
	8Z799 M-1214									l	
5120002362263	SOCKET WRENCH SIZE 7/32 : SHAPE HEX	SOCKET		М	EA	1.00					
	8Z799 M-607								ĺ	1	
5120-00-288-7786	ALIGNMENT TOOL ELEC					1.00				!	
	13499 024-0295-00										1







ILL. NO. 00018



ILL. NO. 00019



ILL. NO. 00020




ILL. NO. 00021



ILL. NO. 00022

	END ITEM STOCK NUM	BER	END ITEM DESCRIPTION	PUBLICA	TION NU	MBER			PUBLICATION DATE	_	C	TITHAU	Υ	
	5180-00-611-7923		TOOL KT MED EQ REPRMN	SC 5180-	-8-A14				30 NOV 93					
г	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION		RMKS	ARC	CIIC	UI	QTY AUT	A	QUAN B	TITY O	N HAND	
_			ALIGNMENT TOOL 6 3/32 INCH ELECTRIC	LONG		×	М	EA	1.00	 				
_			72653 8276 CRIMPING TOOL TERM HAND CU	TTING					1.00	 	<u></u> !	 	<u></u>	<u> </u>
			JAW ACCOM WIRE SZ.0808 TO2 85688 22E	9.1019								 		
-	5110-00-595-8295	00018	FILE HAND B34 CONTACT POIN SWISS PATTERN 5.250" LENGT	T TYPE				EA	1.00					
_			64959 138-30				 _						}	¦
	6230-00-635-4998	00019	FLASHLIGHT PENLIGHT			Х	М	EA	1.00			 		
			77542 Z21P								į			i
-	5210-00-031-1504						М	EA	1.00]
			75188 28								İ	i	1	İ
_			HOOK HELICAL SPRING PULLAR .031 DIA AN3 LOOP O/A LG 5	HAND			M	EA	1.00					
			55712 N-120								-			}
-	5120-00-448-3927	00022	HOOK HELICAL SPRING PULLER .031" DIA AN3 LOOP O/A LG	HAND				EA	1.00					
			55712 N-125										}	





5120-00-198-5398 NOT ILLUSTRATED

5120-00-224-4659 NOT ILLUSTRATED

5120-00-242-7411 NOT ILLUSTRATED 5120-00-224-2504 NOT ILLUSTRATED 5120-00-198-5401 NOT ILLUSTRATED

	END ITEM STOCK NUMBER		END ITEM DESCRIPTION	PUBLI	CATION NU	MBER			PUBLICATION DAT	E	QUANTITY					
	5180-00-611-7923		TOOL KT MED EQ REPRMN	SC 51	80-8-A14				30 NOV 93							
Т	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION		RMKS	ARC	CIIC			A			HAND	 		
_		00023	INSULATION TAPE ELECTRICAL ADHESIVE PLASTIC					RO	1.00	 						
			75037 17 1/2INBLACK								}					
									1.00	 						
			8709 GGG-K-275							1		ĺ				
	5120001985398		KEY SOCKET HEAD SCR W/A FL 1/16 NOM LG AR LEN IN 1 3/	ATS IN			М	£Α	1.00] 		<u> </u>				
			2X923 207628-000							ŀ		i				
	5120002244659		KEY SOCKET HEAD SCR W/A FL 1/4 NOM LG AR LEN IN 3 1/4	ATS IN			М	EA	1.00	 						
			55719 AW8							İ	1					
	5120002427411		KEY SOCKET HEAD SCR W/A FL 7/32 NOM LG AR LEN IN 3					EA	1.00	 [[
			55719 AW7							1		1				
	5120002242504		KEY SOCKET HEAD SCREW STEE OVERALL 120 L HANDLE HEXA END 55719 AW 2-1/2	L SGL		Х	М		1.00	 			 			
	5120001985401		KEY SOCKET HEAD SCREW STEE OVERALL 120 L HANDLE HEXAG ENO 55719 AW 1-1-2	L				ÉA	1.00	 	 	 	 	 		


5120-00-198-5390 NOT ILLUSTRATED

5120-00-242-7410 NOT ILLSUTRATED 5120-00-240-5292 NOT ILLUSTRATED


5120-00-198-5392 NOT ILLUSTRATED

5120-00-240-5300 NOT ILLUSTRATED

5120-00-240-5274 NOT ILLUSTRATED



END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NU	MBER			PUBLICATION DATE		Q	UANTIT	Υ	
5180-00-611-7923	TOOL KT MED EQ REPRMN	SC 5180-8-A14				30 NOV 93					
ILL T STOCK NUMBER NO.	ITEM DESCRIPTION	RMKS	ARC	CIIC	UI	QTY AUT	Α		TITY C	HAND) } E
5120001985390	KEY SOCKET HEAD SCREW STEE HANDLE 4.530" MIN 4.719"MA	L 120		M	EA	1.00					
	80064 1940722							<u> </u>	 	İ 	
5120002427410	KEY SOCKET HEAD SCREW 120 HANDLE 1.906" MIN 2.188"		×	М	EA	1.00					
	74445 57012								i	İ	i
5120002405292	KEY SOCKET HEAD SCREW 120 HANDLE 2.280" MIN 2.469" M		Х	M	EA	1.00		 			
	55719 AW4							i	İ	ì	
5120001985392	KEY SOCKET HEAD SCREW 120 HANDLE 2.561"MIN 2.750 MAX		X	M	EA	1.00				-	
	80204 B18.3					}				l	
5120002405300	KEY SOCKET HEAD SCREW 120 HANDLE 2.842" MIN 3.032" M		X	M	EA	1.00					
	74445 57022									[[
5120002405274	KEY SOCKET HEAD SCREW 120 HANDLE 3.967" MIN 4.157" M			М	EA	1.00					
	26505 040-00201							ĺ			ļ.
5120-01-016-5850 0002	5 KEY SET SOCKET HEAD METRIC	;		М	SE	1.00					
,	80204 B18.3.2M									}	



ILL. NO. 00026

5120-00-901-6633 NOT ILLSUTRATED

5120-00-827-2967 NOT ILLUSTRATED

5120-00-288-9085 NOT ILLUSTRATED

5120-00-293-0195 NOT ILLUSTRATED

5120-00-224-2496 NOT ILLUSTRATED

5120-00-249-9670 NOT ILLUSTRATED

II-024







	END ITEM STOCK NUMBER		END ITEM DESCRIPTION	PUB	BLICATION NU	MBER	_		PUBLICATION DAT	QUANTITY						
	5180-00-611-7923		TOOL KT MED EQ REPRMN	sc	5180-8-A14				30 NOV 93							
ст		ILL NO.	ITEM DESCRIPTION		RMKS	ARC	CIIC	 UI	QTY AUT		QUA B	 YTITN)		HAND D	 } (
	5120-00-970-8947	00026	KEY SET SPLINE HEAD			X	M	SE	1.00	ļ			 			
			8711 GGG~K~00275							ļ						
			KEY SOCKET HEAD DIA M/M 0 0.033 LEN M/M 1.125 1.312	.032				EA	1.00	 		[!		 	
			55719 MS-2													
	5120008272967		KEY SOCKET HEAD DIA M/M 0 0.048 LEN M/M 1.125 1.312			Х	M	EA	1.00	 					 	
			45413 123721									i	}		i	
	5120002889085		KEY SOCKET HEAD DIA M/M O 0.048 LEN M/M 1.125 1.312	.047			М	EΑ	1.00				 		 	
			25583 658~0001-002							1	ł	}				
	5120002930195		KEY SOCKET HEAD DIA M/M 0 0.060 LEN M/M 1.562 1.750			Х	M	EA	1.00			 	 		 	
			03538 7027900PT1REVA							1	ł	ł			ļ	
	5120002242496		KEY SOCKET HEAD DIA M/M O 0.069 LEN M/M 1.656 1.844				M	EA	1.00			 {			}	
			81348 GGG-K-275									f				
	5120002499670		KEY SOCKET HEAD DIA M/M 0 0.072 LEN M/M 1.656 1.84			Х	M	EA	1.00			 	 		: 	
			55719 MS7										1		 	

5120-00-781-8977 NOT ILLUSTRATED 5120-00-223-6995 NOT ILLSUTRATED 5120-00-224-2482 NOT ILLUSTRATED

5120-01-313-4096 NOT ILLUSTRATED





ILL. NO. 00027



ILL. NO. 00028

.	END ITEM STOCK NUMB	ER	END ITEM DESCRIPTION	PUBLI	CATION NU	MBER			PUBLICATION DATE		Q	UANTIT	Υ	
	5180-00-611-7923		TOOL KT MED EQ REPRMN	SC 518	80-8-A14				30 NOV 93					
ACT	STOCK NUMBER		ITEM DESCRIPTION							Α		TITY C	N HAND	
	5120007818977		KEY SOCKET HEAD DIA M/M 0 0.076 LEN M/M 1.656 1.844	.075		X	M	E.A	1.00					 }
	5120002236995		27914 A18223-3 	.095							<u> </u> 			
			67239 180-020								} ! 	 	 	}
	5120002242482		KEY SOCKET HEAD DIA M/M 0 0.111 LEN 1.906 2.094	.110		×	М	EA	1.00					
N	5120-01-313-4096		MIRROR INSP 7"MIN TO 9"MA 1.250"CHROME NICKEL OR ZI PLATING 81348 GGG-M-350	NC							 	 	 	
	4930~00-106-9839		OILER HAND 72653 GZ-985								 	 		
	5120-00-293-0048	00027					 М	EA	1.00		 	: 	<u>-</u>	<u>.</u>
			94120 1111						 		 	i 	j 	<u> </u>
	5120-00-288-9717	00028	PLIERS RETAINING RING 5 1 INCH								 			
			OAHP5 923306						i					



ILL. NO. 00029




ILL. NO. 00030



ILL. NO. 00031

6625-00-489-3700 NOT ILLUSTRATED





ILL. NO. 00033




ILL. NO. 00034

	END ITEM STOCK NUM	BER	END ITEM DESCRIPTION	PUBLICAT	ION NU	MBER			PUBLICATION DATE		Q	UANTIT	Υ	
	5180-00-611-7923		TOOL KT MED EQ REPRMN	SC 5180-	8-A14				30 NOV 93					
 СТ	STOCK NUMBER	ILL NO.	ITEM DESCRIPTION		RMKS	ARC	CIIC	UI		Α			N HAND) E
			PUNCH CENTER 5/16 INCH DIA SOLIO								}			
	5120-00-752-9030		81348 GGG-P-831 PUNCH DRIVE PIN 1/16 INCH									 	 	}
			81348 GGG-P-831						 			<u> </u> 	i 	
	5120-00-223-1014	00031	PUNCH DRIVE PIN 3 1/2 IN P LGHT 8 IN OVL LGHT 1/8 IN DIA 81348 GGG-P-831			Х	М	EA	1.00 				 	
	6625-00-489-3700		RECEPTACLE CIRCUIT TESTER 95146 GT-20			×		EA	1,00			 	 	
	5120-00-243-3296	00032	SCREW STARTER HAND 2 3/4 X INCH 55719 SS5A	9/32		×	M	EΑ	1.00		 			
	5120-00-820-2995	00033	SCREWDRIVER CROSS TIP #0 1 INCH LONG	1/4		×	M	EA	1.00			<u></u>	} 	
			80204 B107.15 TY2DEASZ0						i		j 	j 	1	Ì
	5120-00-240-8716	00034	SCREWDRIVER CROSS TIP #1 3								 			
			80204 B107.15 TY2DEASZ1						Ì		İ	ļ	İ	į







ILL. NO. 00035

ILL. NO. 00036

ILL. NO. 00037



ILL. NO. 00038



ILL. NO. 00039




ILL. NO. 00040



ILL. NO. 00041

	END ITEM STOCK NUM	BER	END I	TEM DESCR	IPTION	PUBLI(CATION NU	MBER			PUBLICATION DAT	E	Q	UANTIT	Y	
	5180-00-611-7923		TOOL H	KT MED EQ	REPRMN	SC 518	30-8-A14				30 NOV 93					
ст	STOCK NUMBER	ILL NO.	ITEM DE	ESCRIPTIO	N		RMKS	ARC	CIIC	UI	QTY AUT	1 A		TITY C	N HAND)
	5120-00-227-7293	00035	SCREWDF BLADE	RIVER CRO	SS TIP #2	1.5"		X	М	EA	1.00				}	
					TY2DECSZ2							i	<u> </u>	<u> </u>		
	5120-00-234-8913	00036	SCREWDE		SS TIP #2			Х	М	EA	1.00				}	
			80204	B107.15	TY2DEASZ2	_ _						<u> </u>	¦	İ		
N	5120-00-965-0627	00037				NDLE				EΑ	1.00					
			80204	B107.15	TY2DEASZ2								ļ			ļ
	5120-00-236-2140	00038			T TIP 0.12 THK 0.020			Х		EΑ	1.00					
			75347	A130-2												
	5120-00-260-4837	00039			T TIP 0.18			Х	M	EA	1.00					
			80204	8107.15	TY1CL1DEA		,							1	1	
	5120-00-596-8502	00040		_G 1.50"	T TIP 0.25 END THK 0.			X	M	EΑ	1.00		} 			
	5120-00-234-8910		SCREWDE	RIVER FLA		13"W				EΑ	1.00	 	. <u>:</u>	 	. <u>-</u> 	. <u>-</u>
	•		77873	FT1-1										1		







ILL. NO. 00043



ILL. NO. 00044

5120-00-224-9728 NOT ILLUSTRATED



ILL. NO. 00045




ILL. NO. 00046



ILL. NO. 00047

	END ITEM STOCK NUM	BER	END ITEM DESCRIPTION	PUBL	ICATION NU	MBER			PUBLICATION DAT	Е	C	TITHAUS	Υ	_
	5180-00-611-7923		TOOL KT MED EQ REPRMN	SC 5	180-8-A14				30 NOV 93					
- T:	SIOCK NUMBER	ILL NO.	ITEM DESCRIPTION		RMKS	ARC		 UI	OTY AUT	 I a	1	TITY C	N HAND)
			SCREWDRIVER FLAT TIP 3" 0 BLADE LG 3" END THK 0.035	 .219"						<u>-</u> 		· <u></u>	. <u>-</u> 	. <u>-</u>
			80204 B107.15 TY1CL2DEA SCREWDRIVER FLAT TIP 4 X INCH							<u></u>	 	 	 	
	5120-00-595-9574	00044	93389 9832 SCREWDRIVER RATCHET REVER 1/2 IN LG	 SIBLE	3			 EA	1.00	 	 	 	 	
					- <u>-</u>					 		 	 	
			SCRIBER MACHINIST'S SINGL POCKET TYPE 0.25" BODY DI 73792 83			×	М	EA	1.00				[
-			SOLDER TIN ALLOY WITH GOL SILVER PALL 81348 QQ-S-571	D OR		X		SL	1.00		 		 	
	3439-00-767-9126	00046	SOLDERING AID TOOL DOUBLE					 EA		<u>-</u>	. <u>.</u> 		 	- <u>-</u>
			50994 SH20K							<u>i</u> 	<u>i</u>	i 		<u> </u>
	3439-00-629-2697	00047	SOLDERING AID TOOL TWO 5/ SS	32 DIA		Х	7	EA	1.00					
			50994 SH20A							ļ	İ	ĺ	ĺ	İ



ILL. NO. 00048



ILL. NO. 00049



ILL. NO. 00050



ILL. NO. 00051

	END ITEM STOCK NUM	BER	END ITEM DESCRIPTION	PUBLIC	ATION NL	MBER			PUBLICATION DAT	Έ	Q	UANTI	Y	
	5180-00-611-7923		TOOL KT MED EQ REPRMN	SC 518	0-8-A14				30 NOV 93					
cT		ILL	ITEM DESCRIPTION								QUAN	TITY (
		00048	SOLDERING IRON ELECTRIC 1 DC 81348 WS570							} {				
		00049	T HANDLE NUTDRIVER PLASTI 5/8" DIA 3 1/2" LG 96508 99-4	C 1		Х	М						 	
	5210-00-293-3505		TAPE MEASURING 10 FEET 80244 GGG-T-106 TY5CLAS		~			EΑ	1.00			 	 	
			TWEEZERS ASSEMBLY 4 INCH 81348 GGG-T-870							 	{	 	 	
			~~~~~		~									
-												1		
-	~											     		
										<u>-</u>		<u>-</u>		

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY
5180-00-611-7923	TOOL KT MED EQ REPRMN	SC 5180-8-A14	30 NOV 93	
II	LL	RMKS ARC CIIC UI		QUANTITY ON HAND
			<u>'</u>	- <u>-</u> <del>-</del>
			!	

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY
		SC 5180-8-A14		
ILL ACT STOCK NUMBER NO.		RMKS ARC CIIC UI		01141177771 011 11110
				.
			<u> </u> 	
	de van vak van van van vak van van vak hat den vak van de den van de de de van van van van van de de de van de v			

END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE	QUANTITY			
5180-00-611-7923	TOOL KT MED EQ REPRMN	SC 5180-8-A14	30 NOV 93				
TII		RMKS ARC CIIC		CHANTITY ON HAND			
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		 				
				<u> </u>			

	END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER	PUBLICATION DATE		QUANTI	ΓΥ	
		TOOL KT MED EQ REPRMN						
 AC1	IL STOCK NUMBER NO	L . ITEM DESCRIPTION		IC UI QTY AUT	-	THANTITY (ON HAND	 E
								ļ
				3			}	
						ļ		
		~~			<u> </u>			
					İ	Ì		İ
					 	<u> </u>		
					Ì			
]			
						ļ		
		**-		<u>-</u> -	· 			<u></u>
								<u></u>

SECTION III OF THIS SUPPLY CATALOG DOES NOT CONTAIN ANY ASIOE ITEMS

SECTION IV DOES NOT CONTAIN ANY INFORMATION REGARDING AMERICAN HOSPITAL FORMULARY SERVICE THERAPEUTIC CLASSIFICATIONS

SECTION V: NSN/ILLUSTRATION NUMBER CROSS REFERENCE

SECTION V

NSN/ILLUSTRATION NUMBER/PAGE NUMBER CRO

END ITEM ST	OCK NUMBER		END ITEM DESCRIPTION	PUE	BLICATION NUMBER	PUBLICAT	ION DATE	
5180-00-6	511-7923		TOOL KT MED EQ REPRMN	sc	5180-8-A14	30 NO	V 93	
NSN	ILL NO	PAGE NR	NSN	ILL NO	PAGE NR	NSN	ILL NO	PAGE N
5110 00 233 7749	_	11-002	5120 00 242 3345	_	II-014	5110 00 618 2700	00007	11-004
5110 00 239 7625		II-002	5120 00 242 3351	-	II-014	5120 00 184 9403	80000	11-006
5110 00 239 7716	-	11-002	5120 00 242 3352	-	II-016	5120 00 278 0352	00009	11-00
5110 00 239 7739	_	II-004	5120 00 242 7410	_	II-022	5110 00 255 0420	00010	11-00
5110 00 528 9000	_	11-002	5120 00 242 7411	_	11-020	5120 00 288 8739	00011	11-00
5110 00 884 0140	_	II-002	5120 00 243 1686	_	II-014	5140 01 047 3588	00012	I I -0 1
5120 00 180 0705		11-008	5120 00 249 9670	_	II-024	5120 00 240 5330	00013	II-01
5120 00 180 0706		11-008	5120 00 277 3414	-	II-010	5120 00 240 5328	00014	11-01
5120 00 180 0727		1 I -008	5120 00 277 8308	-	II-012	5120 00 962 7580	00015	I I - O 1
5120 00 180 0728	-	11-008	5120 00 277 8309	-	II-010	5120 00 081 2305	00016	1 I - O 1
5120 00 180 0729	-	800-11	5120 00 277 8310	-	II-012	5120 00 278 2423	00017	11-01
5120 00 180 0730	-	11-008	5120 00 277 8311	_	II-012	5110 00 595 8295	00018	II-01
5120 00 189 8610		II-014	5120 00 277 8312	-	II-012	6230 00 635 4998	00019	II-01
5120 00 198 5390	-	II-022	5120 00 277 8313	-	II-010	5210 00 031 1504	00020	I I - O 1
5120 00 198 5392	-	II-022	5120 00 277 8314	-	II-012	5120 00 448 3924	00021	II-01
5120 00 198 5398	-	II-020	5120 00 288 7781		II-018	5120 00 448 3927	00022	II-01
5120 00 198 5401	-	II-020	5120 00 288 7786	-	II-016	5970 00 419 4290	00023	II-02
5120 00 221 7957	_	II-014	5120 00 288 9085	_	II-024	5120 00 595 9244	00024	II-02
5120 00 223 6995	_	II-026	5120 00 293 0195	-	II-024	5120 01 016 5850	00025	11-02
5120 00 224 2482	-	II-026	5120 00 293 3486	-	11-006	5120 00 970 8947	00026	11-02
5120 00 224 2496	-	II-024	5120 00 781 8977	-	11-026	5120 00 293 0048	00027	II-02
5120 00 224 2504	-	II-020	5120 00 827 2967	-	II-024	5120 00 288 9717	00028	11-02
5120 00 224 4659	-	11-020	5120 00 901 6633	-	11-024	5120 00 293 3512	00029	11-02
5120 00 224 9728	-	II-032	5120 00 965 0626	-	11-006	5120 00 752 9030	00030	11-02
5120 00 227 8105	-	II-014	5120 01 047 4357	_	11-008	5120 00 223 1014	00031	11-02
5120 00 235 5869	-	II-016	5120 01 313 4096	_	II-026	5120 00 243 3296	00032	11-02
5120 00 235 5878	-	II-016	5140 00 357 5468	-	II-012	5120 00 820 2995	00033	11-02
5120 00 236 2262	-	II-016	5180 00 611 7923	_	II-002	5120 00 240 8716	00034	II-02
5120 00 236 2263	_	II-016	6625 00 489 3700	- .	II-028	5120 00 227 7293	00035	11-03
5120 00 236 2264	_	II-016	5110 00 595 8316	00001	II-002	5120 00 234 8913	00036	11-03
5120 00 239 8250	-	11-006	5120 00 061 8540	00002	II-004	5120 00 965 0627	00037	11-03
5120 00 240 5274		II-022	5120 00 116 7841	00003	II-004	5120 00 236 2140	00038	11-03
5120 00 240 5292	-	II-022	5110 00 240 5943	00004	II-004	5120 00 260 4837	00039	11-03
5120 00 240 5300	-	11-022	5120 00 165 4098	00005	II-004	5120 00 596 8502	00040	11-03
5120 00 242 3256	~	II-014	5110 00 239 8253	00006	II-004	5120 00 234 8910	00041	11-03

END ITEM S	TOCK NUMBER	!	END ITEM DESCRIPTION	PUB	LICATION NUMBER	PUBLICATION DATE		
5180-00-	611-7923		TOOL KT MED EQ REPRMN	sc	5180-8-A14	30	1 NOV 93	
NSN	ILL NO	PAGE NR	NSN	ILL NO	PAGE NR	NSN	ILL NO	PAGE NR
5120 00 293 3311	00042	II-032						
5120 00 222 8852	00043	11-032						
5120 00 595 9574	00044	11-032						
3439 00 273 3722	00045	II-032						
3439 00 767 9126	00046	11-032						
3439 00 629 2697	00047	II-032						
3439 00 542 0454	00048	II-034						
5120 00 241 5521	00049	11-034						
5210 00 293 3505	00050	11-034						
5120 00 247 0868	00051	11-034						

SECTION VI: NSNS DELETED FROM PREVIOUS PUBLICATIONS
AND
APPLICABLE REPLACEMENTS

SECTION VI

NSNS DELETED FROM PREVIOUS PUBLICATION AND APPLICABLE REPLACEMENTS

END ITEM STOCK NUMBER

END ITEM DESCRIPTION

PUBLICATION NUMBER

PUBLICATION DATE

5180-00-611-7923

TOOL KT MED EQ REPRMN

SC 6545-8-A14

30 NOV 93

DELETED NSN

REPLACEMENT NSN REPLACEMENT NSN DESCRIPTION

5120-00-448-2455

THE ACTIONS REFLECTED IN THIS SECTION ARE CUMULATIVE ACTIONS RESULTING FROM THE ANNUAL UPDATE PROCESS TO THIS SKO. THE DATA SHOWN ABOVE SHOULD BE USED TO BRING YOUR SET, KIT, OR OUTFIT AND MANAGEMENT RECORDS UP-TO-DATE.



GORDON R. SULLIVAN General, United States Army Chief of Staff

Official:

Milton H. HAMILTON

Administrative Assistant to the Secretary of the Army

Distribution:

To be distributed in accordance with DA Form 12-21-E, Block 0998, requirements for SC 5180-8-A14.